



Sprl Flema – Rue Outre 46
7910 Anvaing – Belgium
Tel : +32 (0)69/67.27.87
Fax : +32 (0)69/67.27.80

Technical sheet 3 hinges track

➤ **Springs system**

Page 2 – Normal lift

Page 3 – High lift

Page 4 – Vertical lift


➤ **Hydraulic system**


Page 5 – Normal lift


Page 6 – High lift

Page 7 – Vertical lift

Page 8 – Annexe 1










VL = Vertical lift

If H = 4000 mm

CODE				
A =	9K	=	(2 x H)+110	= 8110 mm
B1 =	13155	=	H + 60 (multi 250)	= 4000 mm
B =	13155	=	(2 x H) + 360	= 8360 mm
B2 =	13155	=	B - B1	= 4360 mm
C =		=	(2 x H) + 410	= 8410 mm







VL = Vertical lift

	CODE				
A	=	9K	=	(2 x H)	= 8000 mm
B1	=	13155	=	H - 50 {multi 250}	= 3750 mm
B	=	13155	=	(2 x H) + 250	= 8250 mm
B2	=	13155	=	B - B1	= 4500 mm
C	=		=	(2 x H) + 300	= 8300 mm
D	=		=		= 350 mm
Z	=		=	165 mm	

If H = 4000 mm

