


Opening preparation details for hydraulic system 2 hinges track




Page 2 – Normal lift

Page 3 – High lift

Page 4 – Vertical lift


Page 5 – Following the roof


Page 6 – Following the high lift



Ref 4592	travel of cilinder 1270 mm
Ref 4593	travel of cilinder 1520 mm
Ref 4594	travel of cilinder 1770 mm
Ref 4595	travel of cilinder 2020 mm
Ref 4596	travel of cilinder 2270 mm
Ref 4597	travel of cilinder 2520 mm


Height of PS60 HY : max 2500mm
Height of PS60 HY : max 3000mm
Height of PS60 HY : max 3500mm
Height of PS60 HY : max 4000mm
Height of PS60 HY : max 4500mm
Height of PS60 HY : max 5000mm





VL = Vertical lift

$$L = H + 300$$



Ref 4592 vérin course 1270mm
 Ref 4593 vérin course 1520mm
 Ref 4594 vérin course 1770mm
 Ref 4595 vérin course 2020mm
 Ref 4596 vérin course 2270mm
 Ref 4597 vérin course 2520mm

Hauteur de PS60 HY : max 2500mm
 Hauteur de PS60 HY : max 3000mm
 Hauteur de PS60 HY : max 3500mm
 Hauteur de PS60 HY : max 4000mm
 Hauteur de PS60 HY : max 4500mm
 Hauteur de PS60 HY : max 5000mm

